



Attorney's Docket No.: 10830-076001

03C0

14
3

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Hiroto UCHIYAMA
Serial No. : 10/047,524
Filed : October 23, 2001
Title : ALARM DISPLAY UNIT OF IC TESTER

Art Unit: 2858
Examiner:

Commissioner for Patents
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Responsive to the Notice to File Corrected Application Papers mailed March 15, 2002 (a copy of which is enclosed), applicant as a large entity submits herewith the following:

- ☒ Substitute drawings (6 sheets) in compliance with 37 CFR 1.84.

It is understood that this perfects the application and no additional papers or filing fees are required.

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify under 37 CFR §1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, Washington, D.C. 20231.

Date of Deposit

March 26, 2002

Signature

Paula T. Romeo


PAULA T. ROMEO

Typed or Printed Name of Person Signing Certificate

Please apply any other charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

Date: 3/26/02



Samuel Borodach
Reg. No. 38,388

Fish & Richardson P.C.
45 Rockefeller Plaza, Suite 2800
New York, New York 10111
Telephone: (212) 765-5070
Facsimile: (212) 258-2291

30091169.doc




UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/047,524	10/23/2001	Hiroto Uchiyama	10830-076001

SAMUEL BORODACH
Fish & Richardson P.C.
Suite 2800
45 Rockefeller Plaza
New York, NY 10111



CONFIRMATION NO. 3974

FORMALITIES LETTER



OC000000007645793

Date Mailed: 03/15/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);
 - Drawings must be reasonably free from erasures and must be free from alterations, overwritings, interlineations, folds, and copy marks.

*A copy of this notice **MUST** be returned with the reply.*

Phuong Bui
Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE